

Oy Ekotuotanto Ab


EKOSEP®

BELT FILTER PRESS type BFP-P



BFP-P Series

BFP-P DEWATERING FLOW DIAGRAM



TECHNICAL DATAS

TYPE	BFP 0.7 P	BFP 1.1 P	BFP 1.6 P	BFP 2.1 P	BFP 2.6 P
Length, mm	3200	3200	3200	3200	3200
Width, mm	1100	1500	2000	2500	3000
Height, mm	1700	1700	1700	1700	1700
Belt width mm	700	1100	1600	2100	2600
Weight kg	1300	1700	2200	2600	3500
Power kW	0,74	0,74	1,47	1,47	1,87

Materials

Frame	Stainless steel
Rollers	Stainless steel
Shafts	Stainless steel
Trays	Stainless steel
Bearings	Merchantable quality

Typical applications are:

- * domestic sewage treatment plants
- * food processing industry
- * textile industry
- * tanneries
- * pulp and paper industry

We have delivered our equipment to clients in

- * Europe
- * The Far East
- * Eastern Europe
- * Russia
- * Africa
- * South America
- * North America
- * Asia

BFP-P series belt press has been designed for dewatering sludge, having 1 - 8 % DS.

BFP-P Filter Belt Press has been equipped with Predewatering Unit.

BFP-P Filter Belt Press has been equipped with pneumatic belt tracking and tensioning.

BFP-P Filter Belt Press has separate belt tension system for both belts.

BFP-P Filter Belt Press has continually operating wash water system for both belts.

Oy Ekotuotanto Ab

Palokarjenkuja 7 C 24, 05860 Hyvinkaa, Finland

Tel.+358-400-482440, Fax.+358-19-437237

E-mail: avi@ekotuotanto.fi